Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("(currentnearsense)same(trackingor monitoring)samepower").PN.	USPAT; USOCR	OR	OFF	2004/02/10 16:26
S2	120	(current near sense) same (tracking or monitoring) same power	USPAT	OR	OFF	2003/06/01 13:22
S3	113	((current near sense) same (tracking or monitoring) same power) and voltage	USPAT	OR	OFF	2003/06/01 13:15
S4	59	(((current near sense) same (tracking or monitoring) same power) and voltage) and threshold	USPAT	OR	OFF	2003/06/01 13:22
S5	494	361/93.1	USPAT	OR	OFF	2003/06/01 13:22
S6	2	361/93.1 and (current near sense) same (tracking or monitoring) same power	USPAT	OR	OFF	2003/06/01 13:34
S7	405	323/276	USPAT	OR	OFF	2003/06/01 13:34
S8	54	323/276 and (current near sense)	USPAT	OR	OFF	2003/06/01 13:34
S9	158	323/279	USPAT	OR	OFF	2003/06/01 13:34
S10	22	323/279 and (current near sense)	USPAT	OR	OFF	2003/06/01 13:35
S11	727	323/280	USPAT	OR	OFF	2003/06/01 13:35
S12	22	(323/279 and (current near sense)) and (current near sense)	USPAT	OR	OFF	2003/06/01 13:35
S13	1345	323/284	USPAT	OR	OFF	2003/06/01 13:35
S14	211	323/284 and (current near sense)	USPAT	OR	OFF	2003/06/01 13:35
S15	129	323/284 and (current near sense) same power	USPAT	OR	OFF	2003/06/01 13:35
S16	1739	327/535	USPAT	OR	OFF	2003/06/01 13:36
S17	27	327/535 and (current near sense)	USPAT	OR	OFF	2003/06/01 13:36
S18	1516	327/540	USPAT	OR	OFF	2003/06/01 13:36
S19	14	327/540 and (current near sense)same power	USPAT	OR	OFF	2003/06/01 13:36
S20	930	315/194	USPAT	OR	OFF	2003/06/01 13:37
S21	25	315/194 and (current near sense)same power	USPAT	OR	OFF	2003/06/01 13:37
S22	451	315/199	USPAT	OR	OFF	2003/06/01 13:37
S23	11	315/199 and (current near sense)same power	USPAT	OR	OFF	2003/06/01 13:37
S24	2535	315/291	USPAT	OR	OFF	2003/06/01 13:37
S25	95	315/291 and (current near sense)same power	USPAT	OR	OFF	2003/06/01 13:37
S26	2735	315/307	USPAT	OR	OFF	2003/06/01 13:37

S27	131	315/307 and (current near sense)same power	USPAT	OR	OFF	2003/06/01 13:38
S28	1	"6646847"	USPAT	OR	OFF	2004/02/10 16:26